

according to 1907/2006/EC, Article 31

Page 1/9

Printing date: 11.03.2022 Revision: 30.09.2020

Version number 7.0 (replaces version 6.0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance/preparation: Saeco Descaler

UFI: A613-YXC5-320W-0M2C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Descaler

Uses advised against No further relevant information available.

1.3 Details of the supplier of the safety data sheet

Company/undertaking identification:

ORO-Produkte Marketing International GmbH

Im Hengstfeld 47 D-32657 Lemgo

phone +49 (0)5261 28893-0 fax +49 (0)5261 28893-48

Further information obtainable from:

Quality management department

e-mail: info@oro-marketing.de, www.oro-marketing.de

1.4 Emergency telephone number: National Health Service: +44 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms GHS05

Signal word Danger

Hazard-determining components of labelling:

(2S)-2-hydroxypropanoic acid

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents and container to problem waste disposal.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Page 2/9

Printing date: 11.03.2022 Revision: 30.09.2020

Version number 7.0 (replaces version 6.0)

Identification of the substance/preparation: Saeco Descaler

(Contd. of page 1)

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Cleansing agent

Dangerous components:

CAS: 5949-29-1 Citric acid 10-25% EC number: 691-328-9 Eye Irrit. 2, H319 Reg.nr.: 01-2119457026-42 CAS: 79-33-4 (2S)-2-hydroxypropanoic acid 5-10% EINECS: 201-196-2 Skin Corr. 1C, H314; Eye Dam. 1, H318 Reg.nr.: 01-2119474164-39

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Protective gloves

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Water haze

Fire-extinguishing powder

Foam

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Danger of forming toxic pyrolysis products.

Carbon oxides (COx)

5.3 Advice for firefighters

Protective equipment:

Wear fully protective suit.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Page 3/9 Printing date: 11.03.2022

Revision: 30.09.2020

Version number 7.0 (replaces version 6.0)

Identification of the substance/preparation: Saeco Descaler

(Contd. of page 2)

Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with the eyes.

6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Observe information on the label and follow instructions for use.

See Section 8 for information on personal protection equipment.

Avoid contact with the eyes.

Information about fire - and explosion protection:

No special precautions are necessary if used correctly.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from foodstuffs.

Observe the notes from TRGS 510 regarding joint storage of hazardous substances.

Further information about storage conditions:

Protect from heat and direct sunlight.

Keep out of reach of children.

Storage class: 12

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Exposure limit values:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

PNECs

CAS: 5949-29-1 Citric acid

600 0,44 mg/l (Fresh water)

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Page 4/9

Printing date: 11.03.2022 Revision: 30.09.2020

Version number 7.0 (replaces version 6.0)

Identification of the substance/preparation: Saeco Descaler

(Contd. of page 3)

44 mg/l (Marine water) 610 1.000 mg/l (Microorganisms)

620 34,6 mg/kg dw (Fresh water)

3,46 mg/kg dw (Marine water)

630 33,1 mg/kg soil dw (Soil)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A-P1

Hand protection

Protective gloves

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves Nitrile rubber, NBR

Penetration time of glove material Value for the permeation: Level 6

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0,35 mm

Value for the permeation: Level 6

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Eye/face protection Safety goggles according to EN 166 (i.e. goggles with side shields)

Body protection: Not required.

Environmental exposure controls Follow instructions for use, dosage and waste disposal.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Colour:ClearOdour:RecognisableOdour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined. Flammability Not applicable.

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.Flash point:Not applicable.

Auto-ignition temperature: Product is not selfigniting.

Decomposition temperature: Not determined.

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Page 5/9

Printing date: 11.03.2022 Revision: 30.09.2020

Version number 7.0 (replaces version 6.0)

Identification of the substance/preparation: Saeco Descaler

(Contd. of page 4)

pH at 20 °C

Viscosity:

Kinematic viscosity **Dynamic:**

Solubility

water:

Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure:

Density and/or relative density

Density at 20 °C: Relative density Vapour density

9.2 Other information

Appearance: Form: Important information on protection of health

and environment, and on safety. **Explosive properties:**

Solvent content:

VOC (EC) Change in condition

Evaporation rate

Organic peroxides

Corrosive to metals

Desensitised explosives

Not determined. Not determined.

1-1,8

Fully miscible.

Not determined.

1,097-1,107 g/cm³ Not determined. Not determined.

Fluid

Void

Void Void

Void

Product does not present an explosion hazard.

0 % (1999/13/EG)

Not determined.

Information with regard to physical hazard

classes **Explosives**

Flammable gases Void **Aerosols** Void Void Oxidising gases Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void **Oxidising solids** Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability No decomposition if used and stored according to specifications.

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Page 6/9

Printing date: 11.03.2022 Revision: 30.09.2020

Version number 7.0 (replaces version 6.0)

Identification of the substance/preparation: Saeco Descaler

(Contd. of page 5)

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid Protect from heat and direct sunlight.

10.5 Incompatible materials:

strong alkalis strong oxidising agents

10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Maleic anhydride

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Ingestion:

No further relevant information available.

Inhalation:

Coughing

May cause respiratory irritation.

Skin Contact:

Prolonged or repeated skin contact may lead to degreasing effects on skin.

Eye Contact:

Causes serious eye damage.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Based on available data, the classification criteria are not met.

CAS: 5949-29-1 Citric acid

410 120 mg/l (Daphnia magna)

411 440-760 mg/l (Fish) (OECD 203)

(Contd. on page 7)



according to 1907/2006/EC, Article 31

Page 7/9

Printing date: 11.03.2022 Revision: 30.09.2020

Version number 7.0 (replaces version 6.0)

Identification of the substance/preparation: Saeco Descaler

(Contd. of page 6)

412 425 mg/l (Algae)

12.2 Persistence and degradability

CAS: 5949-29-1 Citric acid

701 97 % (28d) (OECD 301 B)

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Behaviour in sewage processing plants:

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge. Before allowing large quantities to be fed into sewage plants, obtain the approval of the responsible authorities.

Other information:

General information:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

European waste catalogue	
20 01 29*	detergents containing hazardous substances
15 01 02	plastic packaging

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

44.4.IIN manahan an ID manahan	
14.1 UN number or ID number ADR/RID, IMDG, IATA	UN3265
14.2 UN proper shipping name	
ADR/RID	Void
IMDG	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S (L-(+)-lactic acid)

____ DE



according to 1907/2006/EC, Article 31

Page 8/9

Printing date: 11.03.2022 Revision: 30.09.2020

Version number 7.0 (replaces version 6.0)

Identification of the substance/preparation: Saeco Descaler

(Contd. of page 7) IATA CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (containing L-(+)-lactic acid) 14.3 Transport hazard class(es) ADR/RID Class 8 (3265) Corrosive substances. Label IMDG, IATA Class 8 Corrosive substances. Label 14.4 Packing group ADR/RID, IMDG, IATA Ш 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Warning: Corrosive substances. 14.7 Maritime transport in bulk according to IMO instruments Not applicable. **Transport/Additional information:** ADR/RID Limited quantities (LQ) **Excepted quantities (EQ)** Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml **Transport category Tunnel restriction code** Ε Limited quantities (LQ) 51 **Excepted quantities (EQ)** Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml **UN "Model Regulation":** Void

DE



according to 1907/2006/EC, Article 31

Page 9/9

Printing date: 11.03.2022 Revision: 30.09.2020

Version number 7.0 (replaces version 6.0)

Identification of the substance/preparation: Saeco Descaler

(Contd. of page 8)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to EC guidelines:

Regulation (EC) No 648/2004 on detergents / Labelling for contents

Contains no substances, which require labeling according to Regulation (EC) No 648/2004

Directive 2012/18/EU Not applicable

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

National regulations:

Other regulations, limitations and prohibitive regulations

Other regulations (EC): Directive 98/24/EEC

Other regulations (EC): Regulation (EC) No 648/2004

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

Training hints Make sure that users are appropriately informed, instructed and trained.

Classification according to Regulation (EC) No 1272/2008 Calculation method

Department issuing SDS: Quality management department

Version number of previous version: 6.0

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PNEC: Predicted No-Effect Concentration (REACH)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Sources Safety data sheet for raw materials, eur-lex.europa.eu, echa.europa.eu

* Data compared to the previous version altered. Replaces version 6,0